

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	((("5,414,704") or ("5,359,720") or ("6,735,670"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 17:17
L2	0	L1 and delete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 17:17
L3	0	L1 and remove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 17:17
S1	807	hash and cache and unique near3 (key tag value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 14:17
S5	28	hash same cache same unique near3 (key tag value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:37
S6	81	hash and cache and unique near3 (key tag value) and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:46
S7	1	(bucket bin) same cache same unique near3 (key tag value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:43
S8	44	hash near table and cache and unique near3 (key tag value) and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 18:02
S9	146	hash near table same cache and unique near3 (key tag value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:00

S10	137	711/108.ccls. and index same (hash cam)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 14:01
S11	16	711/108.ccls. and index same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 16:49
S12	148	fifo same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 16:51
S13	75	fifo with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:58
S15	1	fifo with bucket same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 14:01
S16	69	fifo with bucket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 18:40
S17	18	fifo with bucket and (cam cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 14:19
S18	6	fifo with bucket same (insert\$6 adding addition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 18:41
S19	0	ipv6 and cursory near search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:29
S20	0	cursory near search same router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:29

S21	16	cursorry near search and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:34
S22	2837	ipv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:34
S23	152	ipv6 and hash and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:34
S24	10	ipv6 and hash and cache and unique near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:41
S25	36	(network router) same search and hash same cache and unique near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:20
S26	0	hash same bucket same rotat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:21
S27	9	hash and bucket same rotat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 17:21
S28	25	hash and (bucket bin) same rotat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:16
S29	40	hash and (bucket bin) same cycle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:49
S30	11	hash same lru same (bucket bin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 18:49

S31	19	hash with slide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 14:37
S32	23	hash with sliding	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 15:33
S33	5012	(bin bucket) with slid\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 15:34
S34	3500	(bin bucket) with (slide sliding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 15:34
S35	7	(bin bucket) with (slide sliding) and ("711"/\$.cccls. "707"/\$.cccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:19
S36	130	hash with (lru lfu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:20
S37	24	hash with (lru lfu) same chain\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 18:20
S39	4	((("5390173") or ("5414704")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 13:15
S40	0	hash with displace	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 13:15
S41	4	hash same displace	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 13:15



S42	780	line adj card same subscriber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 11:35
S43	58	line adj card same subscriber same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 11:36
S44	0	line adj card same subscriber same packet same data adj card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 11:36
S45	42	line adj card same subscriber same packet same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 11:48
S46	2	line adj card same subscriber same packet same dcard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 11:48
S47	2	line adj card same subscriber same packet same distribution adj card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 12:01
S48	0	lin adj card same data adj card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 12:01
S49	24	line adj card same data adj card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 12:24
S50	2	line adj card same data adj card and subscriber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 13:41
S51	325	victim adj (buffer cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 13:45

S52	1	victim adj (buffer cache) and line adj card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 13:48
S53	41	victim adj (buffer cache) same (concurrent\$4 simultaneous\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 13:55
S54	1113	"370"/\$.ccls. and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 13:56
S55	61	"370"/\$.ccls. and hash same (fifo mru rotat\$5 slid\$5 displac\$4 rotat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 13:58
S56	59	tlb same fifo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 09:51
S57	0	tlb same fifo same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 09:51
S58	3	tlb same fifo and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 09:54
S59	7	victim same cache same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 09:56
S60	23	victim same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 09:55
S61	15	victim with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 09:56

S62	0	victim adj hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 09:56
S63	1	victim adj cache same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:14
S64	2	victim near cache same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:15
S65	5	victim near cache same (rotat\$5 slid\$4 fifo advanc\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:26
S66	91	miss near cache same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:27
S67	8	"miss cache" same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:34
S68	0	stream adj buffer same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:34
S69	1582	stream adj buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 10:34
S70	69	stream adj buffer and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:08
S71	139	fifo with accelerator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:10

S72	0	fifo with accelerator same encrypt\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:10
S73	18	fifo with accelerator and encrypt\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:11
S74	0	fifo with accelerator same bucket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:11
S75	169	fifo same bucket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:16
S76	3	fifo same bucket same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:12
S77	69	fifo with bucket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 11:17
S78	4	fifo with bucket and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:00
S79	0	partitioning same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:01
S80	214	partitioning same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:02
S81	144	partitioning with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:02



S82	5	partitioning with hash same ((in adj order) fifo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:03
S83	37	partitioning with hash and ((in adj order) fifo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:10
S84	12	partition\$4 with hash same (overflow collision)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:46
S85	6	(("5414704") or ("5359720") or ("6735670")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 17:14
S86	2	("5,072,377").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 17:14
S87	936	line adj card same rout\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:06
S88	687	line adj card same rout\$5 and ("714"/\$.ccls. "711"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls. "710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:13
S89	85	line adj card same rout\$5 same subscriber and ("714"/\$.ccls. "711"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls. "710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:13
S90	5	line adj card same rout\$5 same subscriber same identif\$8 and ("714"/\$.ccls. "711"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls. "710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:15
S91	0	line adj card same data adj card same subscriber same identif\$8 and ("714"/\$.ccls. "711"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls. "710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:16

S92	0	line adj card same data adj card same subscriber and ("714"/\$.ccls. "711"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls. "710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:20
S93	5	line adj card same subscriber and data adj card and ("714"/\$.ccls. "711"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls. "710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:23
S94	2	line adj card same subscriber and dcard and ("714"/\$.ccls. "711"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls. "710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:23
S95	2	lcard same subscriber and dcard and ("714"/\$.ccls. "711"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls. "710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:26
S96	0	subscriber adj management adj router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:25
S97	2110	smr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:25
S98	207	smr and ("714"/\$.ccls. "711"/\$.ccls. "709"/\$.ccls. "370"/\$.ccls. "379"/\$.ccls. "710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:33
S99	1	semantic adj multicast adj router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:34
S100	105	content adj router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:35
S101	0	content adj router and line adj card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:34

S10 2	27	content adj router and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 18:04
S10 3	22	cache same timestamp same LRU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 18:22
S10 4	44	cache same time adj stamp same LRU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 18:23
S10 5	6	cache same (time adj stamp) same increment\$5 same LRU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 18:23
S10 6	8	cache same (time adj stamp timestamp) same increment\$5 same LRU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 19:00
S10 7	15	cache same (time adj stamp timestamp age) same increment\$5 same LRU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 19:02
S10 8	5	cache same (time adj stamp timestamp age counter) same increment\$5 same threshold same LRU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 19:05
S10 9	14	cache same (time adj stamp timestamp age counter) same increment\$5 same (threshold maximum oldest) same LRU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 19:07
S11 0	9	cache same (time adj stamp timestamp age counter?) same increment\$5 same (threshold maximum oldest) same LRU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 19:07
S11 1	14	cache same (time adj stamp timestamp age counter\$2) same increment\$5 same (threshold maximum oldest) same LRU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 19:08

S11 2	0	"baker.xa" and "711"/*.ccls. and cache and LRU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 19:09
S11 3	11	baker.xa. and "711"/*.ccls. and cache and LRU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 19:10
S11 4	10	baker.xa. and "711"/*.ccls. and cache same LRU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 19:10
S11 5	90	chain\$6 same hash same delet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 17:16